

Revision Number: 003.4 | Issue date: 06/14/2018

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LPG 1.5L PRESTITE GREEN CC 6PK IDH number: 1536624

 Product type:
 Adhesive

 Restriction of Use:
 None identified
 Region:
 United States

Company address: Contact information:

Henkel Corporation Telephone: +1 (860) 571-5100

One Henkel Way
Rocky Hill, Connecticut 06067
MEDICAL EMERGENCY Phone: Poison Control Center
1-877-671-4608 (toll free) or 1-303-592-1711
TRANSPORT EMERGENCY Phone: CHEMTREC

1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING: MAY CAUSE AN ALLERGIC SKIN REACTION.

CAUSES SERIOUS EYE IRRITATION.

HAZARD CLASS	HAZARD CATEGORY
EYE IRRITATION	2A
SKIN SENSITIZATION	1

PICTOGRAM(S)



Precautionary Statements

Prevention: Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective

gloves, eye protection, and face protection.

Response: IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or

rash occurs: Get medical attention. If eye irritation persists: Get medical attention. Wash

contaminated clothing before reuse.

Storage: Not prescribed

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

9 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*

IDH number: 1536624 Product name: LPG 1.5L PRESTITE GREEN CC 6PK

Rosin modified resin	Unknown	1-5
Zinc oxide	1314-13-2	1 - 5
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	68610-51-5	1 - 5
Potassium hydroxide	1310-58-3	0.1 - 1
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	119345-04-9	0.1 - 1
2-Methyl-2H-isothiazol-3-one	2682-20-4	0.1 - 1

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: Move to fresh air. If symptoms develop and persist, get medical attention.

Skin contact: Wash affected area immediately with soap and water. Remove contaminated

clothing and footwear. If symptoms develop and persist, get medical attention.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get immediate medical attention.

Ingestion: Get immediate medical attention. DO NOT induce vomiting unless directed to

do so by medical personnel. Never give anything by mouth to an unconscious

person.

Symptoms: See Section 11.

5. FIRE FIGHTING MEASURES

Extinguishing media: None necessary. Use media appropriate for surrounding material.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

Unusual fire or explosion hazards: None expected.

Hazardous combustion products: Smoke. Oxides of carbon. Oxides of zinc.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Prevent contamination of

soil and water.

Clean-up methods: Wear suitable protective clothing, gloves and eye/face protection. Avoid skin

contact and inhalation of vapors during disposal of spills. Confine in small area; use absorbent to clean up. Place in container for disposal with

accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Handling: Wear suitable protective clothing, safety glasses and gloves. Do not inhale

vapors and fumes. Avoid skin and eye contact.

Storage: For safe storage, store at or above 3 °C (37.4 °F)

Protect from freezing.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Rosin modified resin	None	None	None	None
Zinc oxide	2 mg/m3 TWA Respirable fraction. 10 mg/m3 STEL Respirable fraction.	5 mg/m3 PEL Fume. 5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust.	None	None
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	None	None	None	None
Potassium hydroxide	2 mg/m3 Ceiling	None	None	None
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	None	None	None	None
2-Methyl-2H-isothiazol-3-one	None	None	None	None

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s). Observe OSHA regulations for respirator use (29 CFR 1910.134).

Eye/face protection: Safety goggles or safety glasses with side shields. Wear face shield as

necessary when spraying.

Skin protection:Use impermeable gloves and protective clothing as necessary to prevent skin

contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:LiquidColor:WhiteOdor:SlightOdor threshold:Not available.pH:9.5 - 11.5Vapor pressure:Not determined

Boiling point/range: 100 - 112 °C (212°F - 233.6 °F) **Melting point/ range:** 0 °C (32°F) (Freezing point)

Specific gravity: 1.18

Vapor density: Not available. Flash point: > 100 °C (> 212°F) Flammable/Explosive limits - lower: Not available. Flammable/Explosive limits - upper: Not available. Autoignition temperature: Not available. Flammability: Not applicable Evaporation rate: Same as water. Solubility in water: Miscible Partition coefficient (n-octanol/water): Not determined

VOC content: 0.5 %; 5 g/l (minus exempt solvents and water).

Viscosity: Not available.

Decomposition temperature: Not available.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: Will not occur.

Hazardous decomposition

products:

Oxides of carbon. oxides of zinc

Incompatible materials:

None known

Reactivity:

Not available.

Conditions to avoid:

Do not freeze.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects/Symptoms

Inhalation: Inhalation of high vapor concentrations may produce respiratory irritation, and may cause

central nervous system (CNS) depression. Inhalation of high levels of zinc compounds may cause tightness of chest, metallic taste, cough, dizziness, fever, chills, headache, nausea, and

dry throat.

Skin contact:May cause skin irritation. May cause skin sensitization.Eye contact:May cause irritation.Ingestion:May cause gastrointestinal tract irritation if swallowed.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Rosin modified resin	None	No Data
Zinc oxide	Oral LD50 (Mouse) = 7,950 mg/kg Oral LD50 (Rat) = > 5 g/kg	Blood, Gastrointestinal, Immune system, Irritant, Kidney, Metabolic, Nervous System, Pancreas, Respiratory, Skin
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	None	Blood, Central nervous system, Corrosive, Irritant, Kidney, Liver
Potassium hydroxide	Oral LD50 (Rat) = 273 mg/kg Oral LD50 (Rat) = 1.23 g/kg	Corrosive, Irritant
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	None	No Records
2-Methyl-2H-isothiazol-3-one	None	Irritant, Corrosive, Allergen

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Rosin modified resin	No	No	No
Zinc oxide	No	No	No
Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	No	No	No
Potassium hydroxide	No	No	No
Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts	No	No	No
2-Methyl-2H-isothiazol-3-one	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

IDH number: 1536624 Product name: LPG 1.5L PRESTITE GREEN CC 6PK

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Legal disposition of wastes is the responsibility of the owner/generator of the

waste. Applicable federal, state and/or local regulations must be followed during treatment, storage, or disposal of waste containing this product.

Hazardous waste number:To the best of our knowledge, this product is not listed nor does it meet the

criteria of a hazardous waste if discarded in its purchased form. However, under RCRA, it is the responsibility of the user to determine at the time of disposal whether a product meets any of the RCRA hazardous waste criteria. This is because product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics under the new Toxicity Characteristics Leaching Procedure (TCLP) 40 Code of Federal Regulations

261.20-24.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
Packing group:
None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
Packing group:
None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
None
Packing group:
None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS:
CERCLA/SARA Section 311/312:
CERCLA/SARA Section 313:

None above reporting de minimis.
Immediate Health, Delayed Health
This product contains the following

This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40

CFR 372). Zinc oxide (CAS# 1314-13-2).

California Proposition 65: This product contains a chemical known in the State of California to cause cancer.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2

Prepared by: Product Safety and Regulatory Affairs

Issue date: 06/14/2018

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

IDH number: 1536624 Product name: LPG 1.5L PRESTITE GREEN CC 6PK