




WEB ANCHOR DETAIL
NOT TO SCALE - FOR ILLUSTRATION ONLY

- GENERAL NOTES:
- 1. MINIMUM BREAKING STRENGTH IS 7,000 lbs.
 - 2. WORKING LOAD LIMIT TO BE 1,400 lbs WITH FACTOR OF SAFETY (FOS) 5.
 - 3. INSPECT THE ANCHOR REGULARLY AS PER MANUFACTURER'S RECOMMENDATION AND BEFORE EACH USE.

PREPARED BY		 MORTON JAGODICH Civil, Structural, & Geotechnical Engineers		340 Midpark Way SE (Atrium 7) CALGARY, ALBERTA T2X1P1 TEL: 1.844.DIAL.MJI www.mortonjagodich.com			
CLIENT							
1	2015-07-02	IFC		MN	JJ		
0	2015-06-23	IFR		MN	JJ		
REVISION	DATE	ISSUED FOR		BY	CHK		
			NOTES				
			COPYRIGHT MORTON JAGODICH INC. NO PART OF THIS DRAWING AND DESIGN MAY BE USED, REPRODUCED, OR REVISED WITHOUT WRITTEN CONSENT. DO NOT USE THIS DRAWING FOR CONSTRUCTION WITHOUT THE ENGINEER'S SEAL AND SIGNATURE. DO NOT SCALE THIS DRAWING.				
PROJECT							
CANYON RIGGING ANCHOR SLING CERTIFICATION							
CLIENT PROJECT NO.		-					
MJI PROJECT NO.		2015-104					
SCALE		NTS					
PLOT DATE		2015-07-02					
DRAWING TITLE.							
WEB SLING FOR TIE-DOWN							
DRAWING NO.		2015-104-S01			<table><tr><td>SHEET</td></tr><tr><td>1 / 1</td></tr></table>	SHEET	1 / 1
SHEET							
1 / 1							